This DNACPR decision applies only to CPR treatment where the child, young person or adult is in cardiopulmonary arrest

In this individual, CPR need not be initiated and the hospital cardiac • arrest team or paramedic ambulance need not be summoned

the patient can review the DNACPR decision

The individual must continue to be assessed and managed for any care intended for health and comfort- this may include unexpected and reversible crises for which emergency treatment is appropriate

Keep original in patient's care setting



• All	details must be clearly docume	nted in th	ie notes			
Nam	ne:		NHS no:			
Address:			Date of birth:			
Postcode:			Place where this DNACPR decision was initiated:			
GP and practice:						
	If an arrest is anticipated in the current circumstances and CPR is not to start, tick <u>at least one</u> reason: There is <i>no realistic chance that CPR could be successful</i> due to:					
Г	CPR could succeed, but the individual with capacity for deciding about CPR <i>is refusing consent</i> for CPR					
	CPR could succeed but the individual, who now does not have capacity for deciding about CPR,					
	has a <i>valid and applicable ADRT or court order</i> refusing CPR					
- I-	This decision was made with the person who has parental responsibility for the child or young person This decision was made following the <i>Best Interests</i> process of the Mental Capacity Act					
YES NO n/a Has there been a team discussion about CPR in this child, young person or adult?						
YES NO n/a Has the young person or adult been involved in discussions about the CPR decision?						
YES NO n/a Has the individual's personal welfare lasting power of attorney (also known as a						
health and welfare LPA), court appointed deputy or IMCA been involved in this decision?						
YES NO n/a Has the individual agreed for the decision to be discussed with the parent, partner or relatives?						
YES NO n/a Is there an emergency health care plan (EHCP) in place for this individual?						
Junior doctor Sign (must have full GMC licence and agree		Sign:		Status:	Status:	
DNACPR with responsible clinician below before activating DNACPR) Nam				Date:	Date: Time:	
	Senior responsible clinician	Sign:		Status:		
	(If a junior doctor has signed, the senior responsible clinician must sign this at the					
	next available opportunity)			Date:	Time:	
Key people involved in this decision eg. parent, LPA:						
4						
For those individuals transferring to their preferred place of care						
 If the individual has a cardiopulmonary arrest during the journey, DNACPR and take the patient to: The original destination Journey start Try to contact the following key person 						
The original destination Journey start Try to contact the following key person Name: Status: Tel:						
 If the young person or adult is not aware of the DNACPR, consider informing them as part of their end of life care discussions. Ask if they wish the parent, partner or relative to know about the DNACPR decision. 						
Reviewing the DNACPR			Date and time reviewed Name and signature of reviewer			
This decision must be reviewed within			Review if the patient asks or whenever the condition changes			
12 months (never write 'indefinite') Check for any change in clinical status that may						
mean o	cancelling the DNACPR.					
Reassessing the decision regularly does not mean burdening the individual and family with repeated						
decisions, but it does require staff to be sensitive in picking up any change of views during discussions						
with the individual, partner or family.						
	enior responsible clinician who k					

Making a CPR decision

v60 Adapted from: 2013 BMA/RC/RCN Joint Statement on CPR; *Clinical Medicine*, 2005; **5**: 354-60; and *A Guide to Symptom Relief in Palliative Care*, 6th ed Radcliffe Medical Press, 2010.



CPR should be attempted unless the individual has capacity and states that they do not want CPR attempted

- Decisions about CPR can be sensitive and complex and should be undertaken by experienced members of the healthcare team and documented carefully.
- Decisions should be reviewed regularly and when the circumstances change.
- Advice should be sought if there is any uncertainty over a CPR decision